

**AMENDMENTS TO THE CLAIMS:**

Please amend the claims as follows. This listing of the claims is the current listing of claims after entry of the amendments.

1-20. (Cancelled).

21. (Previously Presented) A process for photo-fabricating a three-dimensional object by selectively curing a photo-curable resin composition comprising:

- (a) an oxetane having two or more oxetane rings;
- (b) an epoxy compound; and
- (c) a cationic photoinitiator,

wherein said process comprises

- (i) forming a layer of said composition;
- (ii) selectively irradiating said layer of said composition to form a solid cured resin layer;
- (iii) forming a layer of said composition on the solid cured resin layer; and
- (iv) repeating steps (ii) and (iii).


22. (Previously Presented) A process for photo-fabricating a three-dimensional object by selectively curing a photo-curable resin composition comprising:

- (a) an oxetane;
- (b) an epoxy compound; and
- (c) a cationic photoinitiator,

wherein said process comprises

- (i) forming a layer of said composition;
- (ii) selectively irradiating said layer of said composition to form a solid cured resin layer;
- (iii) forming a layer of said composition on the solid cured resin layer; and
- (iv) repeating steps (ii) and (iii);

wherein said oxetane is represented by the following formula (10):



wherein R represents a hydrogen atom; a fluorine atom; an alkyl group having from 1 to 6 carbon atoms; a fluoroalkyl group having from 1 to 6 carbon atoms; an aryl group having from 6 to 18 carbon atoms; a furyl group; or a thienyl group.

23. (Previously Presented) The process of claim 22, wherein each R represents an alkyl group having from 1 to 6 carbon atoms.

24. (Previously Presented) The process of claim 22, wherein each R represents an ethyl group.

25. (Previously Presented) A process for photo-fabricating a three-dimensional object by selectively curing a photo-curable resin composition comprising:

- (a) an oxetane having 3 or more oxetane rings;
- (b) an epoxy compound; and
- (c) a cationic photoinitiator,

wherein said process comprises

- (i) forming a layer of said composition;
- (ii) selectively irradiating said layer of said composition to form a solid cured resin layer;
- (iii) forming a layer of said composition on the solid cured resin layer; and
- (iv) repeating steps (ii) and (iii).

26-67. (Cancelled).

68. (New) A process for photo-fabricating a three-dimensional object comprising selectively curing a photo-curable resin composition comprising:

- (a) an oxetane;
- (b) an epoxy compound; and
- (c) a cationic photoinitiator.

69. (New) The process of claim 68, wherein said composition comprises 3-50 wt %, relative to the total weight of the composition, of said epoxy compound.

70. (New) The process of claim 68, wherein an H-shaped object obtained by curing said composition has a dimensional accuracy value of less than or equal to 0.10 mm.

71. (New) A three-dimensional object obtained by the process of claim 68.

72. (New) A three-dimensional object obtained by the process of claim 69.

73. (New) A three-dimensional object obtained by the process of claim 70.

74. (New) A radiation-curable composition comprising:

(a) an epoxidated compound obtained by a process comprising epoxidating a double bond between carbons of a corresponding compound having an ethylenically unsaturated bond using an appropriate oxidizing agent such as hydrogen peroxide or peroxy acid process;

(b) a polyfunctional monomer;

(c) a polyhydric alcohol;

(d) an oxetane compound having one or more oxetanes groups;

(e) one or more free-radical photoinitiators; and

(f) one or more cationic photoinitiators.

75. (New) The radiation-curable composition according to claim 74, wherein said composition further comprises a pigment and/or a dye.

76. (New) The radiation-curable composition according to claim 75, wherein said composition further comprises one or more additives different than the pigment or dye.

77. (New) A radiation-curable composition used in photo-fabrication of object comprising:

(a) an epoxidated compound obtained by a process comprising epoxidating a double bond between carbons of a corresponding compound having an ethylenically unsaturated bond using an appropriate oxidizing agent such as hydrogen peroxide or peroxy acid process;

(b) pentaerythritol tetra (meth)acrylate;

(c) propoxylated modified glycerol;

(d) 3-ethyl-3-hydroxymethyloxetane;

(e) a free-radical photoinitiator 1-hydroxycyclohexyl phenyl ketone;

(f) a cationic photoinitiator (bis[4-diphenylsulfonio)-phenyl]sulfide bis hexafluoro antimonate; and

(g) a pigment and/or a dye.

78. (New) The radiation-curable composition according to claim 77', wherein said composition further comprises one or more additives different than pigment or dye.